ELSEVIER

Volumes 262–263 14 November 1997

Journal of
ALLOYS
AND COMPOUNDS

Contents

Foreword vii
Organizers and sponsors viii

Localized-itinerant electronic transitions in oxides and sulfides
J.B. Goodenough (Austin, TX, USA) 1

Octahedral clusters in transition element chemistry
C. Perrin (Rennes, France) 10

Quaternary borocarbides: the new and exciting magnetic superconductors
L.C. Gupta (Mumbai, India) 22

A novel two-dimensional mercury antimony telluride: low temperature synthesis and characterization of $RbHgSbTe_3$
J. Li, Z. Chen, X. Wang (Camden, NJ, USA), D.M. Proserpio (Milano, Italy) 28

Lithium electrochemical intercalation in β-$VOSO_4$
J. Gaubicher (Paris, France), Y. Chabre (Saint Martin d'Hères, France), J. Angenault (Paris, France), A. Lautié (Thiais, France), M. Quarton (Paris, France) 34

Crystal structures of low-temperature phases (Phase II) of ionic conductors Ag_7TaS_6 and Ag_7NbS_6
M. Onoda, H. Wada, M. Tansho, M. Ishii (Ibaraki, Japan) 39

Local structural and magnetic properties of YFe_2D_x compounds ($0 < x \leq 3.5$)
V. Paul-Boncour, L. Guénée, M. Latroche, M. Escorne, A. Percheron-Guégan (Meudon, France), Ch. Reichl, G. Wiesinger (Wien, Austria) 45

Crystallochemistry and structural study of some nasicon-like phosphates
A. El Jazouli, A. El Bouari, H. Fakrane, A. Housni, M. Lamire, I. Mansouri (Casablanca, Morroco), R. Olazcuaga, G. Le Flem (Pessac, France) 49

In situ pulsed laser deposited thin films of ternary molybdenum cluster sulfides $Cu_xMo_6S_8$ ($2 \leq x \leq 4$)
N. Lemée, M. Guilloux-Viry, V. Ferré, A. Perrin, M. Sergent (Rennes, France), J. Lesueur, F. Lalu (Orsay Campus, France) 54

Synthesis and long-period phosphorescence of $ZnGa_2O_4$:Mn^{2+} spinel
K. Uheda, T. Maruyama, H. Takizawa, T. Endo (Sendai, Japan) 60

Electronic and magnetic structure of ternary transition metal arsenides related to the Fe_2X type (X = P, As)
J. Toboła, S. Kaprzyk (Kraków, Poland), D. Fruchart, M. Bacmann, P. Wolfers (Grenoble, France), R. Fruchart (Saint Martin d'Hères, France) 65

Synthesis, crystal structure, physical properties and Raman spectroscopy of transition metal phospho-silicides MSi_xP_y (M = Fe, Co, Ru, Rh, Pd, Os, Ir, Pt)
Ch. Perrier, J. Kreisel, H. Vincent, O. Chaix-Pluchery, R. Madar (Saint Martin d'Hères, France) 71

On the possible existence of unusual higher oxidation states of iron in the Na–Fe–O system
S.K. Dedushenko, L.N. Kholodkovskaya, Y.D. Perfiliev, Y.M. Kiselev, A.A. Saprykin, P.N. Kamozin, D.G. Lemesheva (Moscow, Russia) 78

XAFS studies of local atomic structure of niobium tellurides
Y. Mathey, H. Sassoli (Marseille, France), J. Purans (Marseille, France and Riga, Latvia) 81

Valence instabilities and inhomogeneous mixed valence in some ternary europium compounds
C. Felser (Mainz, Germany) 87

Temperature dependent study of the band edge excitons of ReS_2 and $ReSe_2$
Y.S. Huang, C.H. Ho, P.C. Liao, K.K. Tiong (Taiwan, People's Republic of China) 92

Synthesis and characterization of copper intercalated $ZrTe_3$
W. Finckh, C. Felser, W. Tremel (Mainz, Germany), G. Ouvrard (Nantes, France) 97

Properties on request in semi-Heusler phases
J. Pierre (Grenoble, France), R.V. Skolozdra (Lviv, Ukraine), J. Toboła, S. Kaprzyk (Kraków, Poland), C. Hordequin, M.A. Kouacou, I. Karla, R. Currat, E. Lelièvre-Berna (Grenoble, France) 101

Crystal and magnetic properties of GdTSn compounds (T = Ag, Au)
K. Łątka, E.A. Görlich, W. Chajec, R. Kmieć, A.W.J. Pacyna (Kraków, Poland) 108

Crystal chemistry and magnetic properties of ternary stannides R_2M_2Sn (R = rare earth or uranium, M = Ni, Pd)
B. Chevalier, F. Fourgeot, D. Laffargue, P. Gravereau, L. Fournès, J. Etourneau (Pessac, France) 114

Synthesis and dense kondo behavior of cubic $AuBe_5$-type $YbCu_5$ compound — systematic change of physical properties in the $YbCu_{5-x}Ag_x (0 \leq x \leq 1)$ system
K. Yoshimura, T. Tsujii, J. He, M. Kato, K. Kosuge (Kyoto, Japan), H. Michor, K. Kreiner, G. Hilscher (Wien, Austria), T. Goto (Tokyo, Japan) 118

Transport properties of $(U_{1-x}Np_x)Ru_2Si_2$ alloys
F. Wastin, E. Bednarczyk, J. Rebizant, S. Zwirner, G.H. Lander (Karlsruhe, Germany) 124

A representation of the Sm–Co–Zr–Cu–Fe quinary system: a tool for optimisation of 2/17 permanent magnets
A. Lefèvre, L. Cataldo, M.Th. Cohen-Adad, B.F. Mentzen (Villeurbanne, France) 129

Relationship between the structural and the magnetic properties of $ErMn_{12-x}Fe_x$ compounds
M. Morales (Grenoble, France), M. Artigas (Zaragoza, Spain), M. Bacmann, D. Fruchart, J.L. Soubeyroux, P. Wolfers (Grenoble, France) 134

Magnetism and related phenomena in $RE(CO_{1-x}Si_x)_2$ compounds
T.D. Cuong, L. Havela, V. Sechovský, A.V. Andreev, Z. Arnold, J. Kamarád (Praha, Czech Republic), N.H. Duc (Hanoi, Vietnam) 141

Complex δ-dependence of electrical and magnetic properties of $La_2NiO_{4+\delta}$
N.J. Poirot, P. Odier, P. Simon (Orléans, France) 147

Structural phase diagram of $La_{1-x}Sr_xMnO_3$ for low Sr doping
L. Pinsard (Orsay, France), J. Rodríguez-Carvajal (Gif sur Yvette, France), A. Revcolevschi (Orsay, France) 152

$La_{1-x}MnO_{3-\delta}$ thin films grown by a new liquid source CVD process
S. Pignard, H. Vincent, J.P. Sénateur (Saint Martin d'Hères, France) J. Pierre (Grenoble, France) 157

Controlled reduction and oxidation of $La_{0.85}Sr_{0.15}MnO_3$ single crystals
A.M. De León-Guevara, P. Berthet, J. Berthon, F. Millot, A. Revcolevschi (Orsay, France) 163

Angular dependence of metamagnetic transitions in RNi_2B_2C (R = Er, Ho, Dy, and Tb)
P.C. Canfield, S.L. Bud'ko (Ames, IA, USA) 169

Electrical properties of layered copper oxyselenides (BiO) $Cu_{1-x}Se$ and $(Bi_{1-x}Sr_x)OCuSe$
T. Ohtani, Y. Tachibana, Y. Fujii (Okayama, Japan) 175

Effect of Na-deficiency on the spin-Peierls transition in α' -NaV_2O_5
M. Isobe, Y. Ueda (Tokyo, Japan) 180

Effect of oxygen potential change on the surface potential of YSR, ZrO_2–Y^2O_3
A. Suzuki, M. Shibata, K. Yamaguchi, M. Yamawaki (Tokyo, Japan) 185

High oxygen pressures and the stabilization of the highest oxidation states of transition elements
G. Demazeau (Pessac and Talence, France), D.Y. Jung (Urbana, IL, USA), A. Largeteau, C. Cros (Pessac and Talence, France), J.H. Choy (Seoul, South Korea) 191

Hydrogen insertion effects on the structural and the magnetic properties of the $RFe_{10.5}Mo_{1.5}$ compounds (R = rare-earth metals)
E. Tomey (Grenoble, France and Zaragoza, Spain) M. Bacmann, D. Fruchart, D. Gignoux, J.L. Soubeyroux (Grenoble, France) 194

Ce valence state probed by XAFS study in $Ce_2Fe_{17-x}Ga_xH_y$ compounds
O. Isnard, S. Miraglia (Grenoble, France), C. Giorgetti, E. Dartyge, G. Krill (Orsay, France), D. Fruchart (Grenoble, France) 198

Magnetic properties of $Ce_2Fe_{17}H_x$ hydrides under hydrostatic pressure
S. Nizioł, R. Zach (Cracow, Poland), M. Bacmann, D. Fruchart, O. Isnard, S. Miraglia, J.L. Soubeyroux (Grenoble, France) 202

*R*NiAl hydrides and their magnetic properties
A. Kolomiets (Prague, The Czech Republic and Lviv, Ukraine), L. Havela, A.V. Andreev, V. Sechovský (Prague, The Czech Republic), V.A. Yartys (Lviv, Ukraine) 206

A unique metallic system $Ce_3Pt_{23}Ge_{11}$
R. Troć, D. Kaczorowski, T. Cichorek (Wroclaw, Poland), B. Andraka, R. Pietri (Gainesville, FL, USA), Yu. D. Seropegin, A.V. Gribanov (Moscow, Russian Federation) 211

Magnetic and galvanomagnetic properties of $CeMn_2(Ge_xSi_{1-x})_2$ solid solutions in magnetic fields up to 13 T
E.M. Levin (Wroclaw, Poland and Lviv, Ukraine) T. Palewski, T. Mydlarz (Wroclaw, Poland) 215

Neutron powder diffraction study of the antiferromagnetic compound $Tb_2Pd_{2.05}Sn_{0.95}$
D. Laffargue (Gif sue Yvette and Pessac, France), T. Roisnel (Gif sue Yvette, France), B. Chevalier (Pessac, France), F. Bourée (Gif sue Yvette, France) 219

Magnetic structures of $HoRh_{2-x}Ru_xSi_2$ compounds
S. Baran (Kraków, Poland), J. Leciejewicz (Warszawa, Poland), N. Stüsser, Y. Ding (Berlin-Wannsee, Germany), A. Szytuła (Kraków, Poland) 225

Crystal structure and magnetic properties of the uranium germanide U_5Ge_4
P. Boulet, M. Potel, J.C. Levet, H. Noël (Rennes, France) 229

Intrinsic properties of NiSi
B. Meyer, U. Gottlieb (Saint Martin d'Hères, France), O. Laborde, H. Yang, J.C. Lasjaunias, A. Sulpice (Grenoble, France), R. Madar (Saint Martin d'Hères, France) 235

RuSi: metal-semiconductor transition by change of structure
B. Buschinger, W. Guth, M. Weiden, C. Geibel, F. Steglich (Darmstadt, Germany), V. Vescoli, L. Degiorgi (Zürich, Switzerland), C. Wassilew-Reul (Grenoble, France) 238

Directional crystallization of $MoSi_2$ and some compositions based on it
V. Paderno, Yu. Paderno, A. Evdokimova (Kiev, Ukraine) 243

Influence of transition metals on magnetic properties of GdT_2X_2
K. Kaczmarska (Katowice, Poland), J. Pierre (Grenoble, France) 248

Magnetic and electrical resistivity of RT_2X_2,RTX_2 and RTX intermetallic compounds
V. Ivanov (Moscow, Russia), A. Szytuła (Kraków, Poland) 253

The Sc–Ni system
E.L. Semenova, N.Yu. Rusetskaya (Kiev, Ukraine) 258

Thermodynamic evaluation of phase equilibria in the quasibinary TiNi–TiRu system
V.M. Danilenko, T.G. Mazhuga, T.Ya. Velikanova, E.L. Semenova (Kiev, Ukraine) 263

Crystallochemistry and physical properties of new phases in Rh_2O_3-SrO binary system
R. Horyń, Z. Bukowski, M. Wołcyrz, A.J. Zaleski (Wroclaw, Poland) 267

Solvothermal synthesis of microcrystallites of transition metal oxides
G. Demazeau (Pessac and Talence, France), J.-M. Millet, (Villeurbanne, France), C. Cros, A. Largeteau (Pessac and Talence, France) 271

Yttrium iron garnet and Y, Fe binary oxides synthesized by microwave monomode energy transfer
J. Ostoréro (Meudon, France), M. Gasgnier, A. Petit (Orsay, France) 275

Dielectric properties of Li^+-exchanged mixed Fe–Cr oxide pillared phosphate
J.R. Ramos-Barrado, F. Martín, F.J. Pérez-Reina, P. Maireles-Torres, P. Olivera-Pastor, E. Rodrígues-Castellón, A. Jiménez-López (Málaga, Spain) 281

Electrical conductivity of chromia-pillared α-zirconium phosphate
J.R. Ramos-Barrado, F. Martín, F.J. Pérez-Reina, P. Maireles-Torres, P. Olivera-Pastor, E. Rodríguez-Castellón, A. Jiménez-López (Málaga, Spain) 287

Morphological evolution of zinc oxide originating from zinc hydroxide carbonate
F.A. Sigoli, M.R. Davolos, M. Jafelicci, Jr. (Araraquara, SP, Brazil) 292

Scandium fluorides
P. Melnikov, M. Nalin, Y. Messaddeq (Araraquara, SP, Brazil) 296

X-ray powder diffraction study of the stability of solid solutions in $LaO(Cl_{1-x}Br_x)$
J. Hölsä, M. Lastusaari (Turku, Finland), J. Valkonen (Jyväskylä, Finland) 299

New reduced molybdenum tellurides $(Rb,Cs)_{n-2}Mo_{3n}Te_{3n+2}$ (n = 4, 5, 6, 8) containing condensed Mo_{3n} clusters
C. Thomas, S. Picard, R. Gautier, P. Gougeon, M. Potel (Rennes, France) 305

New experimental and theoretical studies on condensed molybdenum chalcogenide cluster compounds
R. Gautier, P. Gougeon, J.-F. Halet, M. Potel, J.-Y. Saillard (Rennes, France) 311

Magnetic properties and crystal field effects in $T1LnX_2$ compounds (X = S, Se, Te)
M. Duczmal, L. Pawlak (Wroclaw, Poland) 316

Crystal structure and properties of the binary uranium telluride U_2Te_5
O. Tougait, M. Potel, J. Padiou, H. Noël (Rennes, France) 320

Microwave absorption of mixed-layer transition metal dichalcogenides
K. Hayashi, D. Serikawa, Y. Chijimatsu, M. Shimakawa, S. Kume, K. Manabe (Okayama, Japan), T. Takahashi (Fukuyama, Japan) 325

New superconducting materials based upon doping of the Chevrel-phase binary compound Mo_6Se_8
F. Le Berre, O. Peña, C. Hamard, A. Corrignan (Rennes, France), R. Horyń, A. Wojakowski (Wroclaw, Poland) 331

Structure and magnetic ordering in $CeNi_xSn_2$ compounds
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal (Gif sur Yvette, France), G.H. Nieuwenhuys, L.W.F. Lemmens (Leiden, The Netherlands), K.H.J. Buschow (Amsterdam, The Netherlands) 335

Peculiarities of the composition and structure of the compounds of the rare-earth–Ni–In systems
Ya.M. Kalychak (Lviv, Ukraine) 341

New phases RCu_5Sn with the $CeCu_6$ structure type
R.V. Skolozdra, L.P. Romaka, L.G. Akselrud (Lviv, Ukraine), J. Pierre (Grenoble, France) 346

Quasicrystals and related structures in Al–Ni–Co
B. Grushko (Jülich, Germany), D. Holland-Moritz (Jülich, Köln and Bochum, Germany) 350

Effect of aluminium on phase stability in the $Gd_3Co_{11}(B,Al)_4$ system
A. Galatanu (Bucharest, Romania and Wien, Austria), A. Kottar (Wien, Austria), M. Artigas (Zaragoza, Spain), N. Plugaru, D.P. Lazar (Bucharest, Romania) 356

Ferromagnetism of the chimney-ladder compound $Cr_{11}Ge_{19}$
P. Pécheur, G. Toussaint, H. Kenzari (Nancy, France), B. Malaman, R. Welter (Vandoeuvre-les-Nancy, France) 363

HDDR process of Nd–Fe–B with an excess of intergranular Nd-rich phase under magnetic field
S. Liesert, D. Fruchart, P. de Rango, S. Rivoirard, J.L. Soubeyroux, R. Perrier de la Bâthie, R. Tournier (Grenoble, France) 366

On the electronic properties of β-rhombohedral boron interstitially doped with 3d transition metal atoms
H. Werheit, R. Schmechel, V. Kueffel (Duisberg, Germany), T. Lundström (Uppsala, Sweden) 372

Structural properties of amorphous and nanocrystallized Fe–Cu–Nb–Si–B and Fe–Gd–Cu–Nb–Si–B ribbons
O. Crisan (Bucharest-Magurele, Romania), J.M. Le Breton (Mont-Saint-Aignan, France), A. Jianu (Bucharest-Magurele, Romania), J. Teillet (Mont-Saint-Aignan, France), G. Filoti (Bucharest-Magurele, Romania) 381

Multiphase reaction diffusion in transition metal-boron systems
J. Brandstötter, W. Lengauer (Vienna, Austria) 390

Electronic structure of sub-stoichiometric titanium carbides, nitrides and carbonitrides: comparison of TB-LMTO calculations and valence XPS spectra
M. Guemmaz, G. Moraitis, A. Mosser, M.A. Khan, J.C. Parlebas (Strasbourg, France) 397

Rhenium solid solution in the Cr–Re–C ternary system at solidus temperature
A.V. Grytsiv, A.A. Bondar, T.Ya. Velikanova (Kiev, Ukraine) 402

Superconducting and structural properties of rare-earth-based Chevrel-phase selenides $REMo_6Se_8$: first single crystal studies
F. Le Berre, O. Peña, C. Hamard (Rennes, France), R. Horyń, A. Wojakowski (Wroclaw, Poland) 406

An original way to prepare nitride-type compounds from sulfide precursors
F. Tessier, R. Marchand (Rennes, France) 410

The ternary compound $Fe_3Ga_{2-x}As_x$: a promising candidate for epitaxial and thermodynamically stable contacts on GaAs
S. Députier, R. Guérin, B. Lépine, A. Guivarc'h, G. Jézéquel (Rennes, France) 416

Copper hydroxide based organic/inorganic ferromagnets
V. Laget, M. Drillon, C. Hornick, P. Rabu, F. Romero, P. Turek, R. Ziessel (Strasbourg, France) 423

Mutual influence of '3d' and '4f' atoms in K_2NiF_4-type structure diluted solid solutions $Y_{1-x}Nd(Ce)_xCaCr_yAl_{1-y}O_4$ ($x \leq 0.1$; $y \leq 0.1$)
J. Choisnet, N. Mazéas (Orléans, France), I. Zvereva, Yr. Smirnov, E. Ryjova (St. Petersburg, Russia) 428

XAFS investigation of Cu(I) local environment in two types of glasses of base composition $LaMgB_5O_{10}$ and $LiLaP_4O_{12}$
A. Jacob, E. Fargin, C. Parent, G. Le Flem (Pessac, France), S. Benazeth (Orsay, France) 433

Optical properties of copper-doped silica gels
T. Lutz, C. Estournès, J.C. Merle, J.L. Guille (Strasbourg, France) 438

Magnetism and electron transport phenomena of manganese oxide ion exchanger with tunnel structure
H. Sato, J.-I. Yamaura, T. Enoki (Tokyo, Japan), N. Yamamoto (Kyoto, Japan) 443

Evidence of Eu^{3+}-O^{2-} associates by luminescence study of some silicates and aluminosilicates
B. Piriou (Châtenay-Malabry, France), M. Richard-Plouet, J. Parmentier, F. Ferey, S. Vilminot (Strasbourg, France) 450

Synthesis and electrical properties of solid solutions $BaNb_{1-x}Ti_xO_3$ with $0 < x < 0.8$
J.F. Marucco (Orsay and Gif sur Yvette, France), M. Ocio, A. Forget, D. Colson (Gif sur Yvette, France) 454

Influence of thermal treatment on the phase properties of $HoNi_2B_2C$
H. Schmidt, A. Dertinger, B. Ernstberger, H.F. Braun (Bayreuth, Germany) 459

Superconductivity and magnetism in the Ho–Ni–B–C system
E. Tominez, E. Alleno, C. Godart (Meudon, France), P. Bonville, J.A. Hodges (Gif sur Yvette, France) 462

Magnetic properties of $(Y_{1-x}Th_x)_2Fe_{14}B$
A.V. Andreev (Prague, Czech Republic), M.I. Bartashevich (Ekaterinburg, Russia), T. Goto (Tokyo, Japan), S.M. Zadvorkin (Ekaterinburg, Russia) 467

Magnetic properties of the $UCo_{1-x}Ni_xAl$ system
V.H. Tran, R. Troć (Poland), H. Noël (Rennes, France) 471

Solid solutions $ZrNi_{1-x}M_xSn$ (M = Cr, Mn, Cu) and their electrical and magnetic properties
YuV. Stadnyk, L.P. Romaka, A.M. Goryn, Yu.K. Gorelenko (Lviv, Ukraine), J. Pierre (Grenoble, France), R.V. Skolozdra (Lviv, Ukraine) 476

Magnetic properties and ^{57}Fe Mössbauer effect in the $U_2Fe_{17-x}Ge_x$ system
J. Olejniczak, W. Suski, K. Wochowski, T. Mydlarz (Wroclaw, Poland) 481

Interactions in iron-based cermet systems
K. Aigner, W. Lengauer, P. Ettmayer (Vienna, Austria) 486

Antiferromagnetic ordering in the novel Dy_3Ge_4 and $DyGe_{1.3}$ compounds studied by neutron diffraction and magnetic measurements
O. Oleksyn, P. Schobinger-Papamantellos (Zürich, Switzerland), C. Ritter (Grenoble, France), C.H. de Groot, K.H.J. Buschow (Amsterdam, The Netherlands) 492

Synthesis, thermodynamics and electrical properties of non-stoichiometric $Ba_2CuO_{3+\delta}$
J.F. Marucco (Orsay and Gif sur Yvette, France), V. Viallet, D. Colson, A. Forget (Gif sur Yvette, France) 498

Field- and anisotropy-induced states in $MnAs_{1-x}P_x$-single crystals
Ch. Kleeberg (Göttingen, Germany), A. Vetcher (Minsk, Belarus), H. Dunkel (Göttingen, Germany), J.W. Schünemann (Katlenburg-Lindau, Germany), K. Bärner (Göttingen, Germany) 502

Magneto-elastic properties of $MnFeP_{1-x}As_x$ ($0.15 \leq x \leq 0.66$) and $MnRhP_{1-x}As_x$ isostructural series of compounds
R. Zach (Kraków, Poland), M. Bacmann, D. Fruchart, P. Wolfers (Grenoble, France), R. Fruchart (St. Martin d'Hères, France), M. Guillot (Grenoble, France), S. Kaprzyk, S. Nizioł, J. Toboła (Kraków, Poland) 508

Mixed valent niobium nitrides and oxynitrides resulting from ammonolysis of alkaline niobates
F. Tessier, R. Assabaa, R. Marchand (Rennes, France) 512

Electronic structure of AFe_2P_2, A = Ca,Sr,Ba
E. Gustenau, P. Herzig, A. Neckel (Wien, Austria) 516

Nitridation of Ti/Nb alloys and solid-state properties of δ-(Ti,Nb)N
W. Mayr, W. Lengauer (Vienna, Austria), V. Buscaglia (Genoa, Italy), J. Bauer (Rennes, France), M. Bohn (Plouzané/Brest, France), M. Fialin (Paris, France) 521

Author index of Volumes 262–263 529
Subject index of Volumes 262–263 531